



Additional Options for SFUSA Ground Mount Structures

PROTECT
AGAINST CORROSION

CLEAN
& PROFESSIONAL LOOK

SIMPLE
CONNECTIONS

Solar Foundations USA offers a number of beneficial additions for the SFUSA Ground Mount System. These features include equipment support columns for mounting electrical equipment, black panel mounting hardware for a sleek appearance, micro-inverter mounting hardware for a secure and simple connection and torque limiters to maintain precise control when mounting solar panels to our structures.



Solar Foundations USA®, Inc.
1142 River Road, New Castle, DE 19720
Phone (855) 738-7200
Fax (866) 644-5665
www.solarfoundationsusa.com

© Solar Foundations USA®, All Rights Reserved

SFUSA_Additional_Rev5_20210923

INNOVATIVE. ADAPTABLE. GROUNDED.

Additional Options for SFUSA Ground Mount Structures

Equipment Support Column (ESC)

Solar Foundations provides an optional ground screw designed to support the typical weight of electrical equipment. This additional ground screw is placed adjacent to a north column main support to reduce the span between columns. This permits UNISTRUT® (or similar channel) to span between the columns.

Every ESC includes a set of U-bolt mounting hardware that has the correct 2 $\frac{7}{8}$ " ID of the posts to mount the UNISTRUT® (or similar channel) to the support.

- (8) 2 $\frac{1}{2}$ " ESC U-Bolt ($\frac{3}{8}$ "x4 $\frac{1}{4}$ " Long)
- (17) $\frac{3}{8}$ " Hex Nut, HDG
- (17) $\frac{3}{8}$ " Washer, HDG

\$265.00 - \$290.00 each

Prices and product availability are subject to change without notice.



Equipment Support Column (ESC) & Mounting Hardware

Micro-Inverter Mounting Hardware


The Micro-Inverter Mounting kit is used to attach a micro inverter to a SFUSA Ground Mount Rail, providing a secure and simple connection. The T-Head style bolts permits installation and removal at any time without the need to remove solar panels.

The inverter mounting hardware includes:

- SFUSA T-Head Bolts, 0.75" Long (1/4-20, 18-8 Stainless)
- K-Lock Nuts (1/4-20, 18-8 Stainless)
- $\frac{1}{4}$ " Oversized Washers (0.05" Thick x 1.0" OD, 18-8 Stainless)

***\$73.00 for a pack of 100**

Prices and product availability are subject to change without notice.



Micro-Inverter Mounting Hardware

Additional Options for SFUSA Ground Mount Structures

Black Panel Hardware

Solar Foundations' End Clamps and Mid Clamps are available in a Black Anodized finish along with our stainless-steel K-Lock Nuts available in a Black Oxide finish for protection against corrosion and sleek appearance.

- Our black anodized end clamps accommodate a comprehensive range of frame heights from 30 to 47 mm
- Solar Foundations' black panel hardware is extremely resistant to fading in high UV environments and offers long-lasting resistance to abrasion

Black End Clamp w/ Black K-Lock Nut adds \$1.30/unit

Black Mid Clamp w/ Black K-Lock Nut adds \$1.15/unit

Prices and product availability are subject to change without notice.



Black Panel Hardware

120 in-lbs Inline Preset Torque Limiter

Solar Foundations' custom Inline Preset Torque Limiter improves productivity and efficiency while maintaining precise torque control when mounting solar panels to our structures. Our preset click-type torque limiter ensures that the solar panel mounting fasteners and SFUSA rail holdowns are tightened to the correct specifications.

- Compatible with any standard 1/2-inch chuck cordless drill
- Utilizes 3/8-inch drive sockets with retaining pin thru hole
- An audible 'click' indicates that the preset 120 in-lbs of torque has been reached
- Custom torque settings are available in the range of 30 to 180 in-lbs
- Slip-resistant drive adaptor
- Compact design helps maintain drill balance

\$145.00 each

Prices and product availability are subject to change without notice.



120 in-lbs Inline Preset Torque Limiter